

## Summit County Miscellaneous Elevator Full Maintenance Service

The following elevators are a comprehensive listing of the units to be quoted by building. An alternative quote for all elevators is an elective to be considered.

Summit County Board of Elections 470 Grant St. Akron, OH	One (1) - Dover (Passenger) Hydraulic
Department of Environmental Services 2525 State Rd. Cuyahoga Falls, OH	One (1) - Otis (Passenger) Hydraulic
Summit County Courthouse 209 S. High St. Akron, OH	Three (3) - Schindler (Passenger) Geared Traction
Summit County Jail 205 E. Croiser St. Akron, OH	One (1) - Dover (Passenger) Hydraulic
Summit County Parking Deck 200 S. High St. Akron, OH	Two (2) - Canton (Passenger) Roped Hydraulic Two (2) - Schindler (Passenger) Drum Traction
Summit County Summit Center 140 E. Market St. Akron, OH	One (1) - Kone (Passenger) Geared Traction One (1) - Otis (Freight) Geared Traction

**SUMMIT COUNTY – PREVENTATIVE  
MAINTENANCE SPECIFICATIONS**

**APPENDIX A  
EQUIPMENT INVENTORY  
SUMMIT COUNTY BOARD OF ELECTIONS**

BUILDING NAME	TYPE	PM Schedule		Estimated PM Hours
		Monthly	Quarterly	
Summit County Board of Elections	One (1) Hydraulic		One (1) Hour/Unit	Four (4) Hour/Annually
				Annual Safety Test

Preventative Maintenance (PM) hours are inspection time only and DO NOT include callbacks, repairs, upgrades or code mandated testing. Estimated PM hours are minimum requirements for this agreement.

**EQUIPMENT SUMMARY**

Unit No.	1
Type:	DOVER - Hydraulic Passenger  Ohio Registration Cert: # 40048
Operation	Simplex Selective/Collective
Capacity	2500 lbs.
Stops	2 stops/ 2 front/ 0 rear
Installation Contractor	Dover Elevator Corporation
Door Type	Single Slide
Door Size	3'0" x 7'0"
Door Protection	IR Detector

**SUMMIT COUNTY – PREVENTATIVE  
MAINTENANCE SPECIFICATIONS**

**APPENDIX A  
EQUIPMENT INVENTORY  
SUMMIT COUNTY ENVIRONMENTAL SERVICES**

BUILDING NAME	TYPE	PM Schedule		Estimated PM Hours
		Monthly	Quarterly	
Summit County Environmental Services	One (1) Hydraulic		One (1) Hour/Unit	Four (4) Hour/Annually
				One (1) Safety Test

**Preventative Maintenance (PM) hours are inspection time only and DO NOT include callbacks, repairs, upgrades or code mandated testing. Estimated PM hours are minimum requirements for this agreement.**

**EQUIPMENT SUMMARY**

Unit No.	1	
Type:	Otis Hydraulic Passenger  Ohio Registration Cert: # 40733	
Operation	Simplex – Controller Selective/Collective	
Capacity	2100 lbs.	
Stops	3 stops/ 3 front/ 0 rear	
Installation Contractor	Otis Elevator	
Door Type	Single Slide	
Door Size	3'0" x 7'0"	
Door Protection	IR Detector	

**SUMMIT COUNTY – PREVENTATIVE  
MAINTENANCE SPECIFICATIONS**

**APPENDIX A  
EQUIPMENT INVENTORY  
SUMMIT COUNTY COURTHOUSE MAIN & ANNEX**

BUILDING NAME	TYPE	PM Schedule		Estimated PM Hours/Month
		Monthly		
Summit County Courthouse	Three (3) Traction	One (1) Hour/Unit		Three (3) Hours/Month
Total		Three (3) Hours		Three (3) Hours/Month Plus (1) Annual Safety Test

Preventative Maintenance (PM) hours are inspection time only and DO NOT include callbacks, repairs, upgrades or code mandated testing. Estimated PM hours are minimum requirements for this agreement.

**EQUIPMENT SUMMARY**

Unit No.	1 & 2	3
Type:	Geared Overhead Traction – Passenger 350 fpm	Geared Overhead Traction – Passenger 200 fpm
Operation	Duplex – Motion Control Selective/Collective	Simplex – Motion Control Selective/Collective
Capacity	2500 lbs.	2500 lbs.
Stops	5 stops/ 5 front/ 0 rear	4 stops/ 4 front /0 rear
Installation Contractor	Schindler	Schindler
Door Type	Double Bypass	Double Bypass
Door Size	3'9" x 7'0"	3'9" x 7'0"
Door Protection	IR Detector	IR Detector

**SUMMIT COUNTY – PREVENTATIVE  
MAINTENANCE SPECIFICATIONS**

**APPENDIX A  
EQUIPMENT INVENTORY  
SUMMIT COUNTY JAIL**

BUILDING NAME	TYPE	PM Schedule		Estimated PM Hours
		Monthly	Quarterly	
Summit County Jail	One (1) Hydraulic		One (1) Hour/Unit	Four (4) Hour/Annually
				One (1) Safety Test

**Preventative Maintenance (PM) hours are inspection time only and DO NOT include callbacks, repairs, upgrades or code mandated testing. Estimated PM hours are minimum requirements for this agreement.**

**EQUIPMENT SUMMARY**

Unit No.	1
Type:	DOVER - Hydraulic Passenger  Ohio Registration Cert: # 31206
Operation	Simplex Selective/Collective
Capacity	3500 lbs.
Stops	2 stops/ 2 front/ 0 rear
Installation Contractor	Dover Elevator
Door Type	Single Slide
Door Size	3'0" x 7'0"
Door Protection	IR Detector

**SUMMIT COUNTY – PREVENTATIVE  
MAINTENANCE SPECIFICATIONS**

**APPENDIX A  
EQUIPMENT INVENTORY  
SUMMIT COUNTY PARKING DECK FACILITY**

BUILDING NAME	TYPE	PM Schedule		Estimated PM Hours/Month
		Annually	Monthly	
Summit County Parking Deck	Two (2) Hydraulic Two (2) Traction	One (1) Safety and 5 Year Test	One (1) Hour/Unit	Four(4) Hours/Month
Total	Four (4) Units		Four (4) Hours	Four (4) Hours/Month

**Preventative Maintenance (PM) hours for inspection time only and DO NOT include callbacks, repairs, upgrades or code mandated testing. Estimated PM hours are minimum requirements for this agreement.**

**EQUIPMENT SUMMARY**

Unit No.	1 & 2 - PUBLIC (NORTH)	3 & 4 - PUBLIC (SOUTH)
Type:	Canton Elevator Company State Reg. # 46489 # 46490 Hydraulic Rope – Passenger Submersible Pump	Millar Elevator Company State Reg. # 46489 # 46490 Drum Traction-Passenger
Operation	Duplex Controller – Motion Control Control Model Selective/Collective	Simplex Controller–Motion Control Control Model Selective/Collective
Capacity	2500 lbs.	2500 lbs.
Stops	7 stops/7 front/0 rear	7 stops/7 front/0 rear
Installation Contractor	Millar Elevator Co (Schindler Elevator)	Millar Elevator Co (Schindler Elevator)
Door Type	<- ->	
Door Size	3'6" x 7'0"	3'6" x 7'0"
Door Protection	IR Detector	IR Detector

**SUMMIT COUNTY – PREVENTATIVE  
MAINTENANCE SPECIFICATIONS**

**APPENDIX A  
EQUIPMENT INVENTORY  
SUMMIT COUNTY SUMMIT CENTER FACILITY**

BUILDING NAME	TYPE	PM Schedule		Estimated PM Visits/Year
		Yearly	Quarterly	
Summit County Summit Center	One (1) Traction - Passenger		One (1) Hour/Unit	Four (4) plus Annual Safety Test
	One (1) Traction - Freight	(1) + Test		One (1) visit plus One (1) Annual Safety Test

**Preventative Maintenance (PM) hours are inspection time only and DO NOT include callbacks, repairs, upgrades or code mandated testing. Estimated PM hours are minimum requirements for this agreement.**

**EQUIPMENT SUMMARY**

Unit No.	1 - PUBLIC	2 - FREIGHT
Type:	Kone, Inc. State Reg. #8109 Geared Overhead - Passenger	Otis Elevator Co. State Reg. # 8110 Geared Overhead Freight
Operation	Motion Control-Simplex Controller-VFMC 1000 Selective/Collective	Simplex Otis Controller Selective/Collective
Capacity	2500 lbs.	6000 lbs.
Stops	4 stops/ 4 front/ 0 rear	4 stops
Installation Contractor	Kone, Inc.	Otis Elevator Co.
Door Type	Double - Bypass	Guillotine
Door Size	4'0" x 7'0"	7'7" x 7'0"
Door Protection	IR Detector	Unknown